
RAW SEQUENCE LISTING ERROR REPORT

entirely by the first party of the first of the



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09	94	1947
Source:	01	PE	
Date Processed by STIC:	09	18	2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 c-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 c-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

http://www.uspto.gov/web/offices/pac/checker

Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION	SERIAL NUMBER: 09/94/94/
ATTN: NEW RULES CASE	S: PLEASE DISREGARD ENGLISH	*Alpha" Headers, which were inserted by pto sofi
IWrapped Nucleics Wrapped Aminos	The number/text at the end of each lin was retrieved in a word processor afte prevent "wrapping."	e "wrapped" down to the next line. This may occur if your file r creating it. Please adjust your right margin to .3; this will
2Invalid Line Length	The rules require that a line not excee	172 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5th amino a use apace characters, instead.	cid is misaligned. Do not use tab codes between numbers:
4Non-ASCII	The submitted file was not saved in A ensure your subsequent submission	SCII(DOS) text, as required by the Sequence Rules. Please is saved in ASCII fext.
5Variable Length	each n or Xaa can only represent a s	epresenting more than one residue. Per Sequence Rules, Ingle residue. Please present the maximum number of each cate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	sequences(s) Normally previously coded nucleic acid sequence	sed the <220><223> section to be missing from amino acid Patentln would automatically, generate this section from the Please manually copy the relevant <220><223> section to This applies to the mandatory <220>-<223> sections for
7Skipped Sequences (OLD RULES)	(2) INFORMATION FOR SEQ ID NO (i) SEQUENCE CHARACTE	onal, please insert the following lines for each skipped sequence: 2:X: (insert SEQ ID NO where "X" is shown) RISTICS: (Do not insert any subheadings under this heading) ID NO:X: (insert SEQ ID NO where "X" is shown)
• • •	Please also adjust the "(ii) NUMBER (OF SEQUENCES:" response to Include the skipped sequences.
8Skipped Sequences' (NEW RULES)	Sequence(s) missing. If Intent <210> sequence id number <400> sequence id number 000	lonal, please insert the following lines for each skipped sequence.
9Use of n's or Xaa's (NEW RULES)		cted in the Sequence Listing. 20>-<223> is MANDATORY if n's or Xaa's are present. ain location of n or Xaa, and which residue n or Xaa represents.
0Invalid <213> Response	Per 1.823 of Sequence Rules, the only scientific name (Genus/species). <220 is Artificial Sequence	valid <213> responses are: Unknown, Artificial Sequence, or >-<223> section is required when <213> response is Unknown or
1Use of <220>	Use of <220> to <223> is MANDATO! "Unknown." Please explain source of	0> "Feature" and associated numeric identifiers and responses. RY if <213> "Organism" response is "Artificial Sequence" or genetic material in <220> to <223> section. ol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
2Patentin 2.0 "bug"	resulting in missing mandatory numeric	ion of PatentIn version 2.0. This causes a corrupted file, identifiers and responses (as indicated on raw sequence ger" or any other manual means to copy file to floppy disk.
3 . Misuse of n	in can only be used to represent a single any value not specifically a nucleotide.	nucleotide in a nucleic acid sequence. N is not used to represent


AMC/MH - Biotechnology Systems Branch - 08/21/2001

OIPE

RAW SEQUENCE LISTING DATE: 09/18/2001 PATENT APPLICATION: US/09/941,947 TIME: 10:40:16


Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\1941947.raw

```
5 <110> APPLICANT: Brzostowicz, Patricia C.
             Cheng, Qiong
      7
              DiCosimo, Deana J.
                                                                     Does Not Comply
      8
              Koffas, Mattheos
                                                                 Corrected Diskette Needed
              Miller, Edward S. Jr.
     10
              Odom, J. Martin
                                                                     See Page 6 of 7A
     11
              Picataggio, Steve
     12
              Rouviere, Pierre E.
     16 <120> TITLE OF INVENTION: CAROTENOID PRODUCTION FROM A SINGLE CARBON SOURCE
     20 <130> FILE REFERENCE: CL1903 US NA
C--> 23 <140> CURRENT APPLICATION NUMBER: US/09/941,947
C--> 23 <141> CURRENT FILING DATE: 2001-08-29
     23 <150> PRIOR APPLICATION NUMBER: 60/229,907
     24 <151> PRIOR FILING DATE: 2000-09-01
     26 <150> PRIOR APPLICATION NUMBER: 60/229,858
     27 <151> PRIOR FILING DATE: 2000-09-01
     29 <160> NUMBER OF SEQ ID NOS: 60
     33 <170> SOFTWARE: Microsoft Office 97
     37 <210> SEQ ID NO: 1
     39 <211> LENGTH: 1311
     41 <212> TYPE: DNA
    43 <213> ORGANISM: Methylomonas 16a
     47 <400> SEQUENCE: 1
     48 gatgtggtca catggcccta tcacttaacg gctgatattc gattttgtca ttggttttt
                                                                               60
     50 cttaacttta acttctacac gctcatgaac aaacctaaaa aagttgcaat actgacagca
                                                                              120
     52 ggcggcttgg cgccttgttt gaattccgca atcggtagtt tgatcgaacg ttataccgaa
                                                                              180
     54 atcgatccta gcatagaaat catttgctat cgcggcggtt ataaaggcct gttgctgggc
                                                                              240
     56 gattcttatc cagtaacggc cgaagtgcgt aaaaaggcgg gtgttctgca acgttttggc
                                                                              300
     58 ggttctgtga tcggcaacag ccgcgtcaaa ttgaccaatg tcaaagactg cgtgaaacgc
                                                                              360
    60 ggtttggtca aagagggtga agatccgcaa aaagtcgcgg ctgatcaatt ggttaaggat
                                                                              420
    62 ggtgtcgata ttctgcacac catcggcggc gatgatacca atacggcagc agcggatttg
                                                                              480
    64 gcagcattcc tggccagaaa taattacgga ctgaccgtca ttggtttacc taaaaccgtc
                                                                              540
    66 gataacgacg tatttccgat caagcaatca ctaggtgctt ggactgccgc cqagcaaqqc
                                                                              600
    68 gcgcgttatt tcatgaacgt ggtggccgaa aacaacgcca acccacgcat gctgatcgta
                                                                              660
    70 cacgaagtga tgggccgtaa ctgcggctgg ctgaccgctg caaccgcgca ggaatatcgc
                                                                              720
    72 aaattactgg accgtgccga gtggttgccg gaattgggtt tgactcgtga atcttatgaa
                                                                              780
    74 gtgcacgcgg tattcgttcc ggaaatggcg atcgacctgg aagccgaagc caagcgcctg
                                                                              840
    76 cgcgaagtga tggacaaagt cgattgcgtc aacatcttcg tttccgaagg tgccggcgtc
                                                                              900
    78 gaagctatcg tcgcggaaat gcaggccaaa ggccaggaag tgccgcgcga tgcgttcggc
                                                                              960
    80 cacatcaaac tggatgcggt caaccctggt aaatggttcg gcgagcaatt cgcgcagatg
                                                                             1020
    82 ataggcgcgg aaaaaaccct ggtacaaaaa tcgggatact tcgcccgtgc ttctgcttcc
                                                                             1080
    84 aacgttgacg acatgcgttt gatcaaatcg tgcgccgact tggcggtcga gtgcgcgttc
                                                                             1140
    86 cgccgcgagt ctggcgtgat cggtcacgac gaagacaacg gcaacgtgtt gcgtgcgatc
                                                                             1200
    88 gagtttccgc gcatcaaggg cggcaaaccg ttcaatatcg acaccgactg gttcaatagc
                                                                             1260
    90 atgttgagcg aaatcggcca gcctaaaggc ggtaaagtcg aagtcagcca c
                                                                             1317
    93 <210> SEQ ID NO: 2
    95 <211> LENGTH: 437
```




Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\I941947.raw

			PE:													
	99 <213> ORGANISM: Methylomonas							16a								
			_	NCE:												
105	Asp	Val	Val	Thr	${ t Trp}$	Pro	Tyr	His	Leu	Thr	Ala	Asp	Ile	Arg	Phe	Cys
106					5					10					15	
109	His	Trp	Phe	Phe	Leu	Asn	Phe	Asn	Phe	Tyr	Thr	Leu	Met	Asn	Lys	Pro
110				20					25					30		
113	Lys	Lys		Ala	Ile	Leu	Thr	Ala	Gly	Gly	Leu	Ala	Pro	Cys	Leu	Asn
114			35					40					45			
117	Ser	Ala	Ile	Gly	Ser	Leu	Ile	Glu	Arg	Tyr	Thr	Glu	Ile	Asp	Pro	Ser
118		50					55					60				
121	Ile	Glu	Ile	Ile	Cys	\mathtt{Tyr}	Arg	Gly	Gly	Tyr	Lys	Gly	Leu	Leu	Leu	Gly
122						70					75					80
	Asp	Ser	Tyr	Pro	Val	Thr	Ala	Glu	Val	Arg	Lys	Lys	Ala	Gly	Val	Leu
126					85					90					95	
129	Gln	Arg	Phe	Gly	Gly	Ser	Val	Ile	Gly	Asn	Ser	Arg	Val	Lys	Leu	Thr
130				100					105					110		
133	Asn	Val	Lys	Asp	Cys	Val	Lys	Arg	Gly	Leu	Val	Lys	Glu	Gly	Glu	Asp
134			115					120					125			
137	Pro	Gln	Lys	Val	Ala	Ala	Asp	Gln	Leu	Val	Lys	Asp	Gly	Val	Asp	Ile
138		130					135					140				
141	Leu	His	Thr	Ile	Gly	Gly	Asp	Asp	Thr	Asn	Thr	Ala	Ala	Ala	Asp	Leu
142	145					150					155					160
145	Ala	Ala	Phe	Leu	Ala	Arg	Asn	Asn	Tyr	Gly	Leu	Thr	Val	Ile	Gly	Leu
146					165					170					175	
149	Pro	Lys	Thr	Val	Asp	Asn	Asp	Val	Phe	Pro	Ile	Lys	Gln	Ser	Leu	Gly
150				180					185					190		
153	Ala	${\tt Trp}$	Thr	Ala	Ala	Glu	Gln	Gly	Ala	Arg	Tyr	Phe	Met	Asn	Val	Val
154			195					200					205			
157	Ala	Glu	Asn	Asn	Ala	Asn	Pro	Arg	Met	Leu	Ile	Val	His	Glu	Val	Met
158		210					215					220				
161	Gly	Arg	Asn	Cys	Gly	Trp	Leu	Thr	Ala	Ala		Ala	Gln	Glu	Tyr	Arg
	225					230					235					240
165	Lys	Leu	Leu	Asp	Arg	Ala	Glu	\mathtt{Trp}	Leu	Pro	Glu	Leu	Gly	Leu	Thr	Arg
166					245					250					255	
	Glu	Ser	\mathtt{Tyr}		Val	His	Ala	Val		Val	Pro	Glu	Met	Ala	Ile	Asp
170				260					265					270		
173	Leu	Glu	Ala	Glu	Ala	Lys	Arg	Leu	Arg	Glu	Val	Met		Lys	Val	Asp
174			275					280					285			
	Cys		Asn	Ile	Phe	Val		Glu	Gly	Ala	Gly	Val	Glu	Ala	Ile	Val
178		290					295					300				
		Glu	Met	Gln	Ala	Lys	Gly	Gln	Glu	Val	Pro	Arg	Asp	Ala	Phe	Gly
	305					310					315					320
185	His	Ile	Lys	Leu	Asp	Ala	Val	Asn	Pro	Gly	Lys	Trp	Phe	Gly	Glu	Gln
186					325					330					335	
	Phe	Ala	Gln	Met	Ile	Gly	Ala	Glu	Lys	Thr	Leu	Val	Gln	Lys	Ser	Gly
190				340					345					350		
	Tyr	Phe	Ala	Arg	Ala	Ser	Ala	Ser	Asn	Val	Asp	Asp	Met	Arg	Leu	Ile
194			355					360					365			



Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\I941947.raw

		Ser Cys	s Ala	Asp	Leu	Ala	Val	Glu	Cys	Ala	Phe	Arg	Arg	Glu	Ser	
198	-	70	~ 3		_	375	_	_		_	380					
		al Ile	e Gly	His		Glu	Asp	Asn	Gly			Leu	Arg	Ala		
	385	ho Dw	. 7	T1.	390	C1	C1	T	D	395		T1.		mı	400	
205	GIU F	he Pro	Arg	405	гаг	GTÀ	GTĀ	гàг	410	Pne	Asn	TTE	Asp		Asp	
	Trn E	he Asr	. 501		Tou	Sor	Clu	T10		Cln	Dwo	T	C1	415	T	
210	rrb E	HE ASI	420	Mec	neu	261	Gru	425	GTĀ	GIII	PIO	пÃр	430		гаг	
	Val G	lu Val	_	His				423					430			
214	141	435		111.5												
	7 <210> SEQ ID NO: 3															
	9 <211> LENGTH: 636															
221	21 <212> TYPE: DNA															
223	3 <213> ORGANISM: Methylomonas 16a															
	27 <400> SEQUENCE: 3															
228	gaaaa	tacta	tgtc	cgtca	ac ca	atcaa	aagaa	a gto	catga	acca	cct	egaco	cgt	tatgo	ccggtc	60
230	atggt	catca	atca	tctg	ga ad	catg	ccgt	c cct	tctg	gctc	gcg	egeta	agt	cgac	ggtggc	120
															cgtatc	180
234	aaagc	cgaag	tacc	ggac	ge ca	atcg	toggo	c gc	gggca	acca	tcai	caad	ccc	tcata	accttg	240
															atcta	300
															agcgag	360
						-			-				_		gccgcc	420
			-							_	-	-			tgtccg	480
						_	_	-				_			gcctgc	540
										gatg	ccga	aaga	ctg	ggcgg	gaaatc	600
		gcggg			gc c	gegge	catto	gaaa	aaaa							636
		SEQ I														
		LENGT		12												
		ORGAN		Ma+1	arl or	nona	- 16-									
			11311.		TY TO	iiOiia	2 100	2								
			יאכידי.													
261	<400>	SEQUE			Val	Ψhr	Tle	Lvs	G7 11	٧al	Me+	Thr	ጥ ክዮ	Ser	Pro	
261 263	<400> Glu A				Val	Thr	Ile	Lys		Val	Met	Thr	Thr		Pro	
261 263 264	<400> Glu A 1	SEQUE sn Thi	Met	Ser 5					10					15		
261 263 264	<400> Glu A 1	SEQUE	Met	Ser 5					10					15		
261 263 264 267 268	<400> Glu A l Val M	SEQUE sn Thr	Met Val 20	Ser 5 Met	Val	Ile	Asn	His 25	10 Leu	Glu	His	Ala	Val	15 Pro	Leu	
261 263 264 267 268	<400> Glu A l Val M	SEQUE sn Thi	Met Val 20	Ser 5 Met	Val	Ile	Asn	His 25	10 Leu	Glu	His	Ala	Val	15 Pro	Leu	
261 263 264 267 268 271 272	<400> Glu A l Val M	SEQUE sn Thr Set Pro rg Ala 35	Met Val 20 Leu	Ser 5 Met Val	Val Asp	Ile Gly	Asn Gly 40	His 25 Leu	10 Leu Lys	Glu Val	His Leu	Ala Glu 45	Val 30 Ile	15 Pro Thr	Leu Leu	
261 263 264 267 268 271 272	<400> Glu A 1 Val M Ala A	SEQUE sn Thr et Pro	Met Val 20 Leu	Ser 5 Met Val	Val Asp	Ile Gly	Asn Gly 40	His 25 Leu	10 Leu Lys	Glu Val	His Leu	Ala Glu 45	Val 30 Ile	15 Pro Thr	Leu Leu	
261 263 264 267 268 271 272 275 276	<400> Glu A l Val M Ala A Arg T	SEQUE sn Thr et Pro rg Ala 35 hr Pro	Val 20 Leu Val	Ser 5 Met Val Ala	Val Asp Leu	Ile Gly Glu 55	Asn Gly 40 Cys	His 25 Leu Ile	10 Leu Lys Arg	Glu Val Arg	His Leu Ile 60	Ala Glu 45 Lys	Val 30 Ile Ala	15 Pro Thr Glu	Leu Leu Val	
261 263 264 267 268 271 272 275 276 279 280	<pre><400> Glu A 1 Val M Ala A Arg T Fro A 65</pre>	SEQUE sn Thr et Pro rg Ala 35 hr Pro 0 sp Ala	Met Val 20 Leu Val	Ser 5 Met Val Ala Val	Val Asp Leu Gly 70	Ile Gly Glu 55 Ala	Asn Gly 40 Cys Gly	His 25 Leu Ile Thr	10 Leu Lys Arg	Glu Val Arg Ile 75	His Leu Ile 60 Asn	Ala Glu 45 Lys Pro	Val 30 Ile Ala His	15 Pro Thr Glu Thr	Leu Leu Val Leu 80	
261 263 264 267 268 271 272 275 276 279 280 283	<pre><400> Glu A 1 Val M Ala A Arg T Fro A 65</pre>	SEQUE sn Thr let Pro let Pro let Pro 0	Met Val 20 Leu Val	Ser 5 Met Val Ala Val	Val Asp Leu Gly 70	Ile Gly Glu 55 Ala	Asn Gly 40 Cys Gly	His 25 Leu Ile Thr	10 Leu Lys Arg	Glu Val Arg Ile 75	His Leu Ile 60 Asn	Ala Glu 45 Lys Pro	Val 30 Ile Ala His	15 Pro Thr Glu Thr	Leu Leu Val Leu 80	
261 263 264 267 268 271 272 275 276 279 280 283 284	<400>Glu A 1 Val M Ala A Arg T 5 Pro A 65 Tyr G	SEQUE sn Thr et Pro rg Ala 35 hr Pro 0 sp Ala	Val 20 Leu Val Ile	Ser 5 Met Val Ala Val Asp 85	Val Asp Leu Gly 70 Ala	Ile Gly Glu 55 Ala	Asn Gly 40 Cys Gly Ala	His 25 Leu Ile Thr	10 Leu Lys Arg Ile Phe 90	Glu Val Arg Ile 75 Ile	His Leu Ile 60 Asn Val	Ala Glu 45 Lys Pro Ser	Val 30 Ile Ala His	15 Pro Thr Glu Thr Gly 95	Leu Val Leu 80 Ile	
261 263 264 267 268 271 272 275 276 279 280 283 284 287	<400>Glu A 1 Val M Ala A Arg T 5 Pro A 65 Tyr G	SEQUE sn Thr et Pro rg Ala 35 hr Pro 0 sp Ala	Yal 20 Leu Val Ile Ile	Ser 5 Met Val Ala Val Asp 85	Val Asp Leu Gly 70 Ala	Ile Gly Glu 55 Ala	Asn Gly 40 Cys Gly Ala	His 25 Leu Ile Thr Glu Leu	10 Leu Lys Arg Ile Phe 90	Glu Val Arg Ile 75 Ile	His Leu Ile 60 Asn Val	Ala Glu 45 Lys Pro Ser	Val 30 Ile Ala His Pro	15 Pro Thr Glu Thr Gly 95	Leu Val Leu 80 Ile	
261 263 264 267 268 271 272 275 276 279 280 283 284 287 288	<400>Glu A 1 Val M Ala A Arg T 5 Pro A 65 Tyr G Thr G	sequence of sequence of the se	Yal 20 Leu Val Ile Ile Leu 100	Ser 5 Met Val Ala Val Asp 85 Leu	Val Asp Leu Gly 70 Ala Asn	Ile Gly Glu 55 Ala Gly Glu	Asn Gly 40 Cys Gly Ala Ala	His 25 Leu Ile Thr Glu Leu 105	10 Leu Lys Arg Ile Phe 90 Ala	Glu Val Arg Ile 75 Ile Ser	His Leu Ile 60 Asn Val Gly	Ala Glu 45 Lys Pro Ser Val	Val 30 Ile Ala His Pro	Thr Glu Thr Gly 95 Ile	Leu Val Leu 80 Ile Leu	
261 263 264 267 268 271 275 276 280 283 284 287 288 291	<400>Glu A 1 Val M Ala A Arg T 5 Pro A 65 Tyr G Thr G	SEQUE sn Thr et Pro rg Ala 35 hr Pro 0 sp Ala ln Ala lu Asr	Yal 20 Leu Val Ile Ile 100 Ile	Ser 5 Met Val Ala Val Asp 85 Leu	Val Asp Leu Gly 70 Ala Asn	Ile Gly Glu 55 Ala Gly Glu	Asn Gly 40 Cys Gly Ala Ala Glu	His 25 Leu Ile Thr Glu Leu 105	10 Leu Lys Arg Ile Phe 90 Ala	Glu Val Arg Ile 75 Ile Ser	His Leu Ile 60 Asn Val Gly	Ala Glu 45 Lys Pro Ser Val Leu	Val 30 Ile Ala His Pro	Thr Glu Thr Gly 95 Ile	Leu Val Leu 80 Ile Leu	
261 263 264 267 268 271 272 275 276 280 283 284 287 288 291	<400>Glu A 1 Val M Ala A Arg T 5 Pro A 65 Tyr G Pro G	se SEQUE sn Thr let Pro rg Ala 35 hr Pro 0 sp Ala lu Asr lu Asr ly Val	Val 20 Leu Val Ile Ile 100 Ile	Ser 5 Met Val Ala Val Asp 85 Leu	Val Asp Leu Gly 70 Ala Asn Pro	Ile Gly Glu 55 Ala Gly Glu Ser	Asn Gly 40 Cys Gly Ala Ala Glu 120	His 25 Leu Ile Thr Glu Leu 105 Val	10 Leu Lys Arg Ile Phe 90 Ala Met	Glu Val Arg Ile 75 Ile Ser Arg	His Leu Ile 60 Asn Val Gly Leu	Ala Glu 45 Lys Pro Ser Val Leu 125	Val 30 Ile Ala His Pro Pro 110 Glu	Thr Glu Thr Gly 95 Ile Lys	Leu Val Leu 80 Ile Leu Gly	
261 263 264 267 268 271 272 275 276 280 283 284 287 288 291	<pre><400> Glu A 1 Val M Ala A Arg T Pro A 65 Tyr G Thr G Pro G</pre>	SEQUE sn Thr et Pro rg Ala 35 hr Pro 0 sp Ala ln Ala lu Asr	Val 20 Leu Val Ile Ile 100 Ile	Ser 5 Met Val Ala Val Asp 85 Leu	Val Asp Leu Gly 70 Ala Asn Pro	Ile Gly Glu 55 Ala Gly Glu Ser	Asn Gly 40 Cys Gly Ala Ala Glu 120	His 25 Leu Ile Thr Glu Leu 105 Val	10 Leu Lys Arg Ile Phe 90 Ala Met	Glu Val Arg Ile 75 Ile Ser Arg	His Leu Ile 60 Asn Val Gly Leu	Ala Glu 45 Lys Pro Ser Val Leu 125	Val 30 Ile Ala His Pro Pro 110 Glu	Thr Glu Thr Gly 95 Ile Lys	Leu Val Leu 80 Ile Leu Gly	



Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\1941947.raw

```
299 Met Leu Lys Ser Leu Gly Gly Pro Leu Pro Gln Val Thr Phe Cys Pro
300 145
                        150
                                             155
303 Thr Gly Gly Val Asn Pro Lys Asn Ala Pro Glu Tyr Leu Ala Leu Lys
                    165
                                        170
307 Asn Val Ala Cys Val Gly Gly Ser Trp Met Ala Pro Ala Asp Leu Val
308
                                    185
                180
                                                         190
311 Asp Ala Glu Asp Trp Ala Glu Ile Thr Arg Arg Ala Ser Glu Ala Ala
312
            195
                                200
315 Ala Leu Lys Lys
316
        210
319 <210> SEQ ID NO: 5
321 <211> LENGTH: 1860
323 <212> TYPE: DNA
325 <213> ORGANISM: Methylomonas 16a
329 <400> SEQUENCE: 5
330 atgaaactga ccaccgacta tcccttgctt aaaaacatcc acacgccggc ggacatacgc
                                                                           60
332 gcgctgtcca aggaccagct ccagcaactg gctgacgagg tgcgcggcta tctgacccac
                                                                          120
334 aeggteagea ttteeggegg ceattttgeg geeggeeteg geacegtgga aetgaeegtg
                                                                          180
336 gccttgcatt atgtgttcaa tacccccgtc gatcagttgg tctgggacgt gggccatcag
                                                                          240
338 gcctatccgc acaagattct gaccggtcgc aaggagcgca tgccgaccat tcgcaccctg
                                                                          300
340 ggcggggtgt cagcctttcc ggcgcgggac gagagcgaat acgatgcctt cggcgtcggc
                                                                          360
342 cattccagca cctcgatcag cgcggcactg ggcatggcca ttgcgtcgca gctgcgcggc
                                                                          420
                                                                          480
344 gaagacaaga agatggtagc catcategge gaeggtteea teaceggegg catggeetat
346 gaggcgatga atcatgccgg cgatgtgaat gccaacctgc tggtgatctt gaacgacaac
                                                                          540
348 gatatgtcga tctcgccgcc ggtcggggcg atgaacaatt atctgaccaa ggtgttgtcg
                                                                          600
350 agcaagtttt attcgtcggt gcgggaagag agcaagaaag ctctggccaa gatgccgtcg
                                                                          660
                                                                          720
352 gtgtgggaac tggcgcgcaa gaccgaggaa cacgtgaagg gcatgatcgt gcccggtacc
                                                                          780
354 ttgttcgagg aattgggctt caattatttc ggcccgatcg acggccatga tgtcgagatg
356 ctggtgtcga ccctggaaaa tctgaaggat ttgaccgggc cggtattcct gcatgtggtg
                                                                          840
                                                                          900
358 accaagaagg gcaaaggcta tgcgccagcc gagaaagacc cgttggccta ccatggcgtg
360 ccqqctttcq atccqaccaa qqatttcctq cccaaqqcqq cqccqtcqcc qcatccqacc
                                                                          960
362 tataccgagg tgttcggccg ctggctgtgc gacatggcgg ctcaagacga gcgcttgctg
                                                                         1020
                                                                         1080
364 ggcatcacgc cggcgatgcg cgaaggctct ggtttggtgg aattctcaca gaaatttccg
366 aatogotatt togatgtogo catogoogag cagoatgogg tgacottggo ogooggooag
                                                                         1140
368 gcctgccagg gcgccaagcc ggtggtggcg atttattcca ccttcctgca acgcggttac
                                                                         1200
                                                                         1260
370 gatcagttga tecaegaegt ggeettgeag aacttagata tgetetttge aetggategt
                                                                         1320
372 geoggettgg teggeeegga tggaeegaee eatgetggeg cetttgatta eagetaeatg
                                                                         1380
374 cgctgtattc cgaacatgct gatcatggct ccagccgacg agaacgagtg caggcagatg
376 ctgaccaccg gettecaaca ecatggeeeg getteggtge getateegeg eggeaaaggg
                                                                         1440
                                                                         1500
378 cccggggcgg caatcgatcc gaccctgacc gcgctggaga tcggcaaggc cgaagtcaga
380 caccacggca geogeatege cattetggce tggggcagca tggtcacgce tgccgtcgaa
                                                                         1560
382 gccggcaage agctgggcgc gacggtggtg aacatgcgtt tcgtcaagcc gttcgatcaa
                                                                         1620
384 gccttggtgc tggaattggc caggacgcac gatgtgttcg tcaccgtcga ggaaaacgtc
                                                                         1680
386 atogooggog gogotggoag tgogatoaac acottootgo aggogoagaa ggtgotgatg
                                                                         1740
388 coggtotgca acatoggcot goodgacogo ttogtogago aaggtagtog ogaggaattg
                                                                         1800
390 etcageetgg teggeetega eageaaggge atectegeea eeategaaca gttttgeget
                                                                         1860
393 <210> SEQ ID NO: 6
395 <211> LENGTH: 620
397 <212> TYPE: PRT
```

RAW SEQUENCE LISTING DATE: 09/18/2001 PATENT APPLICATION: US/09/941,947 TIME: 10:40:16

Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\I941947.raw

					Methylomonas 16a											
				NCE:		1 an	Merro	Dwa	T 011	Τ ο ι ι	T ***	n an	т1 о	uia	Thr	Dwo
405		гуя	цеи	THI	5	ASP	тут	PIO	ьeu	10	гу	ASII	iie	птъ	15	PIO
		Asp	Tle	Ara	_	ĭ.en	Ser	Lvs	Asp	_	Len	Gln	Gln	Leu	Ala	Asp
410		ייי		20		Dou	201	272	25	0111		02	·	30		
	Glu	Val	Ara		Tvr	Leu	Thr	His		Val	Ser	Ile	Ser	-	Gly	His
414			35	-	-			40					45	-	•	
417	Phe	Ala	Ala	Gly	Leu	Gly	Thr	Val	Glu	Leu	Thr	Val	Ala	Leu	His	Tyr
418		50					55					60				
421	Val	Phe	Asn	Thr	Pro		Asp	Gln	Leu	Val		Asp	Val	Gly	His	
422						70					75				_	80
	Ala	Tyr	Pro	His	-	Ile	Leu	Thr	Gly		Lys	Glu	Arg	Met	Pro	Thr
426	71.	3	m la sa	T	85	C1	17-1	Com	7. T ~	90 Dha	Dwa	7.7.	7 ~~	7 an	95	Con
429	TTE	Arg	THE	100	GIY	GIY	Val	ser	105	Pne	PIO	Ата	Arg	110	Glu	sei
	Glu	ጥህዮ	Asn		Phe	G1 v	Va1	Glv		Ser	Ser	Thr	Ser		Ser	Ala
434	Olu	-1-	115	7114	1	011	, 42	120		001	001		125		002	
	Ala	Leu		Met	Ala	Ile	Ala		Gln	Leu	Arg	Gly	Glu	Asp	Lys	Lys
438		130	_				135					140		_		
441	Met	Val	Ala	Ile	Ile	Gly	Asp	Gly	Ser	Ile	Thr	Gly	Gly	Met	Ala	Tyr
442	145					150					155					160
445	Glu	Ala	Met	Asn		Ala	Gly	Asp	Val		Ala	Asn	Leu	Leu	Val	Ile
446	_	_		2	165		_		_	170	_		a 1		175	
	Leu	Asn	Asp		Asp	Met	Ser	IIe	Ser 185	Pro	Pro	vaı	GLY	190	Met	Asn
450	λen	Фиг	Lau	180	T.v.c	Val	T.e.11	Ser		T.ve	Dhe	mar	Ser		Val	Δrσ
454	ASII	тут	195	T11T	пуъ	Val	пеа	200	261	пур	FIIC	TYT	205	261	Val	Arg
	Glu	Glu		Lvs	Lvs	Ala	Leu		Lvs	Met	Pro	Ser		Trp	Glu	Leu
458		210			-1		215					220		-		
461	Ala	Arg	Lys	Thr	Glu	Glu	His	Val	Lys	Gly	Met	Ile	Val	Pro	Gly	Thr
	225					230					235					240
	Leu	Phe	Glu	Glu		Gly	Phe	Asn	Tyr		Gly	Pro	Ile	Asp	Gly	His
466	_	- 			245	1	_		_	250	_	_	_		255	1
	Asp	Val	Glu		Leu	Val	Ser	Thr		GLu	Asn	Leu	Lys		Leu	Thr
470	C1 17	Dro	W - 1	260 Bho	Tau	пiс	Wal	Wa I	265	T 370	T 17.0	C1 37	Tve	270	Tyr	λla
474	СТУ	PIO	275	FILE	цец	птр	val	280	T 11T	цуз	цуз	Gry	285	Gry	TYT	Ala
	Pro	λla		Lvs	Asp	Pro	Leu		Tvr	His	Glv	Val		Ala	Phe	Asp
478		290	Olu		p	110	295		-1-		1	300				
	Pro		Lys	Asp	Phe	Leu		Lys	Ala	Ala	Pro		Pro	His	Pro	Thr
	305		-	_		310		_			315					320
485	Tyr	Thr	Glu	Val	Phe	Gly	Arg	Trp	Leu	Cys	Asp	Met	Ala	Ala	Gln	Asp
486					325					330					335	
	Glu	Arg	Leu		Gly	Ile	Thr	Pro		Met	Arg	Glu	Gly		Gly	Leu
490	47. 3	.	D 1	340	a 3	.	5 1	D .	345	3.	m	D1 :	*	350	3.3 -	T1 -
	val	GLu		ser	GIN	гля	rne		Asn	Arg	тyr	rne		val	Ala	ше
494	Δ1 >	G111	355 Gln	Hic	7 J >	Val	Thr	360 T.eu	λ1 »	λlo	G1 17	Gln	365 31a	Cve	Gln	Glv
43/	HIG	GIU	GTII	пты	HIG	val	TIIT.	neu	HId	MIG	GTÄ	GTII	мта	Cys	GTII	GTY

6 of 7A <210> SEQ ID NO 41 <211> LENGTH: 38 Errored <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: <400> SEQUENCE: 41 agcagctagc ggaggaataa accatgagcg catttctc 38 <210> SEQ ID NO 42 <211> LENGTH: 26 <212> TYPE: DNA Errored <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: : <400> SEQUENCE: 42 gactagtcac gacctgctcg aacgac 26

Errored: When the O.R.G. ANISM field is "Artificial Bequence" an explanation is mandatory in field 223.

The type of errors shown exist throughout the Sequence Listing. Please check subsequent sequences for similar errors.



VERIFICATION SUMMARY
PATENT APPLICATION: US/09/941,947

DATE: 09/18/2001 TIME: 10:40:17

Input Set : A:\CL1903 US NA Seq Listing.txt
Output Set: N:\CRF3\09182001\1941947.raw

L:23 M:270 C: Current Application Number differs, Replaced Current Application No

L:23 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:3057 M:220 C: Keyword misspelled or invalid format, <213> ORGANISM for SEQ ID#:41

L:3061 M:258 W: Mandatory Feature missing, <220> FEATURE:

L:3061 M:258 W: Mandatory Feature missing, <223> OTHER INFORMATION:

 $L:3071\ M:220\ C:$ Keyword misspelled or invalid format, <213> ORGANISM for SEQ ID#:42

L:3075 M:258 W: Mandatory Feature missing, <220> FEATURE:

L:3075 M:258 W: Mandatory Feature missing, <223> OTHER INFORMATION: